



NATIONAL INSTITUTE OF PUBLIC HEALTH PZH

- National Research Institute

National Institute of Public Health NIH - National Research Institute

HYGIENIC CERTIFICATE

(B) (BK) (60)

(0656) (2022)

HYGIENIC CERTIFICATE

ORIGINAL

NATIONAL INSTITUTE OF PUBLIC HEALTH NIH - NATIONAL RESEARCH INSTITUTE

Product(s): Paints for exterior and interior painting: Facade Paint, Facade Color, POLY-ACRYL.

Containing / containing: Water, aqueous polymer dispersion, biocides (< 0.2%), titanium white, organic and inorganic pigments, mineral fillers, auxiliary agents

Designed for / destined: painting of exterior surfaces of buildings and interiors of residential, public, health care, storage and production areas, including in the food industry

The above-mentioned product complies with hygienic requirements with the following conditions.

/ the above-named product is acceptable according to hygienic criteria with the following conditions:

Hygienic attestation does not include the evaluation of the product in terms of direct contact with food, products of the agro-food and pharmaceutical industries. The above-mentioned application should be in accordance with the applicable standards and technical conditions to which the objects should conform, as well as the principles of technical knowledge applied in the construction industry. A label in Polish should be placed on the packaging, including recommendations for precautions according to the product data sheet, in accordance with current legislation. Premises, after using the product, should be ventilated until the smell disappears before putting them into use. When used in healthcare facilities, the product must meet the requirements of the Regulation of the Minister of Health of March 26, 2019 (Journal of Laws 2019.595 of March 29, 2019). Hygienic attestation does not apply to technical parameters, performance qualities and assessment of allergenic properties of the product.

Manufacturer/Producer:

PIGMENT General Partnership R. Bielak, I.
Bielak 70-892 Szczecin
Pyrzycka Street 23A

This document was issued at the request of / this certificate issued for:

PIGMENT General Partnership R. Bielak, I.
Bielak 70-892 Szczecin
Pyrzycka Street 23A



The attestation may be changed or canceled upon presentation of relevant evidence by any party. This attestation becomes invalid after 2027.12.28 or in case of changes in the formulation or manufacturing technology of the product.

The certificate may be corrected or cancelled after appropriate motivation. The certificate loses its validity after 2027.12.28 or in the case of changes in composition or in technology of production.

Hygienic approval date: December 28, 2022

The date of issue of the certificate: 28th December 2022

Manager
Department of Environmental Health Safety

[Signature]
Dr. Jolanta Solecka, Prof. NIZP PZH-PIB